

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S131	4728	french.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 10:40
S132	54	S131 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 10:40
S133	436	(client user) with (select\$4 choos\$4 choice) with (authenticat\$4 authoriz\$6) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 10:45
S134	74	S133 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 10:46
S135	3220	(client user) with (select\$4 choos\$4 choice) near2 (authenticat\$4 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:05
S136	284	S135 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:06
S137	35	S136 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:07
S138	212	(select\$4 choos\$4 choice) with password with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:13
S139	25	S138 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:13

S140	74	(client user) with (select\$4 choos\$4 choice) near2 (authenticat\$4 authoriz\$6) near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:23
S141	24	S140 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 11:23
S142	6	("20030097593" "5229764" "6193153" "6389542" "6580356"). PN. OR ("7137008"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/19 13:39
S143	36	(client user) with (select\$4 choos\$4 choice) near2 ((log\$4 sign\$4) adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:41
S144	12	S143 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:42
S145	868	(client user) with (select\$4 choos\$4 choice) near2 (login logon signin signon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:44
S146	152	S145 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:45
S147	79	(client user) with (select\$4 choos\$4 choice) near2 (login logon signin signon) near2 (method type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:47
S148	24	S147 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:47
S149	7	("20010047485" "20040083394" "6295605" "6857073" "7086085" "7107449" "7137008").PN.	US-PGPUB; USPAT	OR	ON	2008/02/19 13:50

S150	4	("20040153656" "5375244" "6857073" "7137008").PN.	US-PGPUB; USPAT	OR	ON	2008/02/19 13:51
S151	137	S146 not ginter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:53
S152	63	(client user) with pick\$4 near2 (authenticat\$4 authoriz\$6 login login)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:59
S153	12	S152 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 13:59
S154	1120	(register\$4 registration) with (authenticat\$4 authoriz\$5 login login) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:03
S155	126	S154 same (pick\$4 choos \$4 choice select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:04
S156	28	S155 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:04
S157	20	S154 same password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:07
S158	2	S157 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:07
S159	186	S154 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:08

S160	56	accept\$4 with (multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:14
S161	8	S160 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:14
S162	180	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:15
S163	31	S162 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:16
S164	3870	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:19
S165	1004	S164 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:20
S166	973	S165 not S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:20
S167	26	S166 and password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:20
S168	2091	(register\$4 registration) with (multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:24
S169	389	S168 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:25

S170	120	S169 and ("713".clas. "380".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:25
S171	888	defin\$4 with (authentica \$4 authoriz\$5 login logon) near (type method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:41
S172	506	defin\$4 near3 (authentica \$4 authoriz\$5 login logon) near (type method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:41
S173	127	S172 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:42
S174	540	(select\$4 choos\$4 choice pick\$4) with (authentica \$4 authoriz\$5 login logon) near procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:43
S175	115	S174 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:44
S176	752	(select\$4 choos\$4 choice pick\$4) with (authentica \$4 authoriz\$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:45
S177	177	S176 same (register\$4 registration sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:45
S178	32	S177 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:46
S179	90	(select\$4 choos\$4 choice pick\$4) with (multiple different "more than one" plurality) with (authentica \$4 authoriz\$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:48

S180	7	S179 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:49
S181	983	(multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:51
S182	214	S181 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 14:52
S183	280	(select\$4 choos\$4 choice pick\$4) with password with (biometric smartcard (smart adj card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:42
S184	45	S183 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:43
S185	282	multiple adj (authenticat \$4 authoriz\$5 login logon) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:54
S186	45	S184 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:55
S187	11	S185 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:55
S188	282	multiple adj (authenticat \$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:57

S189	634	(register\$4 stor\$4 registration sav\$4) with (choice choos\$4 pick\$4 select\$4) same (authenticat\$4 authoriz\$5 login logon ((log\$4 sign \$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 15:59
S190	114	S189 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:00
S191	24	"5276444".pn."5475758".pn."5638448".pn."5740361".pn."5784566".pn."6006228".pn."6055512".pn."6055570".pn."6108583".pn."6148402".pn."6154777".pn."6160903".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:15
S192	1447	request\$4 with (choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:24
S193	299	S192 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:25
S194	28	S193 and password same (biometric PIN smartcard (smart adj card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:26
S195	64	request\$4 with (choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:28
S196	6	S195 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:29

S197	162	user near2 (choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:31
S198	34	S197 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:32
S199	186	(user client) near2 (choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:32
S200	40	S199 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:33
S201	68	(user client) near2 (choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:48
S202	26	S201 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:49
S203	214	(choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in))) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:52
S204	58	S203 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:53
S205	39	S204 not S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 16:53

S206	20	(choice choos\$4 pick\$4 select\$4) near2 prefer\$4 near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:47
S207	1	S206 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:48
S208	803	prefer\$4 near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign\$4) adj (on in)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:50
S209	131	S208 with (register\$4 registration sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:50
S210	16	S209 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:51
S211	41	http with multiple with authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:57
S212	4	S211 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 17:58
S213	26	register\$4 with multiple near2 authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:00
S214	4	S212 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:00
S215	2	S213 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:01

S216	8603	(multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon) with (register \$4 registration stor\$4 sav \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:05
S217	2091	(multiple different "more than one" plurality) with (authenticat\$4 authoriz\$5 login logon) with (register \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:06
S218	586	S217 and (display\$4 present\$4) with (register \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:07
S219	112	S218 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 18:07
S220	86	(choice choos\$4 pick\$4 select\$4) near3 (authenticat\$4 authoriz\$5 login logon ((log\$4 sign \$4) adj (on in))) near available	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 19:09
S221	18	S220 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 19:11
S222	866	(authenticat\$4 authoriz\$5 login logon ((log\$4 sign \$4) adj (on in))) same (password passphrase) same (smartcard (smart adj card)) same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 20:03
S223	115	S222 same (choice choos \$4 pick\$4 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 20:04
S224	21	S223 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 20:04

S225	136	("4851994" "5032979" "5241594" "5263157" "5276444" "5553239"). PN. OR ("5774551"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/19 20:15
S226	9	("5481720" "5544322" "5586260" "5617570" "5620079" "5684950" "5706427" "5774551" "6388657").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/19 20:43
S227	11	("6651168").URPN.	USPAT	OR	ON	2008/02/19 20:46
S228	47	pyzocha	USPAT	OR	ON	2008/02/19 21:00
S229	67	kluttz.in.	USPAT	OR	ON	2008/02/19 21:02
S230	1	kluttz.in. and encryption	USPAT	OR	ON	2008/02/19 21:03
S231	7	multiple with credential with (choos\$4 select\$4 pick \$4)	USPAT	OR	ON	2008/02/19 21:35
S232	72	credential with (choos\$4 select\$4 pick\$4) same authentication	USPAT	OR	ON	2008/02/19 21:36
S233	29	S232 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 21:36
S234	145	(choice choos\$4 pick\$4 select\$4) near3 (credential authentica\$4 authoriz\$5 login logon ((log\$4 sign \$4) adj (on in))) with default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 21:45
S235	40	S234 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/19 21:46
S236	1447	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28
S237	6	S236 and @ad< "20010103" and @pd> "20070925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28

S238	520	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28
S239	5	S238 and @ad< "20010103" and @pd> "20070925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28
S240	468	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28
S241	6	S240 and authentication. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 08:28

2/ 20/ 08 8:43:17 AM

C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10035064-2.wsp